

EFFECTIVENESS OF DYNAMIC NEUROMUSCULAR STABILIZATION EXERCISE ON REDUCING PAIN IN THE ELDERLY WITH GENU OSTEOARTHRITIS AT PKU MUHAMMADIYAH HOSPITAL, JATINOM KLATEN (1).pdf

Submission date: 12-Jun-2023 03:31AM (UTC-0400)

Submission ID: 2111072366

File name: TEOARTHRITIS_AT_PKU_MUHAMMADIYAH_HOSPITAL,_JATINOM_KLATEN_1.pdf (206.32K)

Word count: 2395

Character count: 13129

by Turnitin Cek Jember



EFFECTIVENESS OF DYNAMIC NEUROMUSCULAR STABILIZATION EXERCISE ON REDUCING PAIN IN THE ELDERLY WITH GENU OSTEOARTHRITIS AT PKU MUHAMMADIYAH HOSPITAL, JATINOM KLATEN

Shahad Erma Nurhayati^{a*} ; Cahyo Setiawan^b ; Dea Linia Romadhoni^c ; Asita Rohmah Mutnawasitoh^d

^{abcd} Department of Physiotherapy ; 'Aisyiyah Surakarta University ; Ki Hajar Dewantara No. 10; Surakarta 57146 ; Indonesia

Abstract

A pattern of muscle imbalance is seen clinically in osteoarthritis. Quadriceps weakness has been identified as a cause of osteoarthritis in the genu, indicating a link between muscle imbalance and osteoarthritis. The DNS approach aims to exploit brain plasticity and reactivate the patient's dormant natural motor patterns, stimulating global motor reactions and minimizing muscle imbalance. This type of research is quantitative: a quasi-experimental pre-post test with a control group design with a sample of 50 subjects divided into two groups, namely 25 experimental groups and 25 control groups. The research instrument used questionnaires, interviews, and pain measurements with NRS. Dynamic Neuromuscular Stabilization Exercise intervention was carried out twice a week for 4 weeks. The results of this study showed that there was an effect on the experimental group between before and after the intervention; in the experimental group, the NRS value was $p = 0.025$, while in the control group, the NRS value was $p = 0.083$. There is an effect on the experimental group, and there is a difference in the effect on the experimental group compared to the control group.

Article LIPPEERIS

Keywords: osteoarthritis, pain, dynamic neuromuscular stabilization exercise

1. Introduction

Osteoarthritis is a joint disorder that is less common than other types of joint disorders. The prevalence of OA in Asia will double, from 6.8% to 16.2%. In 2012, the Ministry of Health of the Republic of Indonesia categorized the number of OA sufferers, with the result that approximately 11.5% of Indonesians suffer from OA. This means that for every 10 residents in Indonesia, there is one person with OA (Iqomi & Abdurrahman, 2021).

A study on the prevalence of Genu OA among 7,577 respondents in America found that the prevalence of Genu OA was 12.2%, with women (14.9%) higher than men (8.7%), followed by an increase in age. As for the prevalence of OA in Indonesia, it reached 5% at the age of < 40 years, 30% at the age of 40-60 years, and 65% at > 61 years. OA is a non-inflammatory degenerative joint disease that occurs in mobile and weight-bearing joints and typically involves the destruction of the articular cartilage and the formation of new bone (osteophytes) at the bone margin due to biochemical, metabolic, and pathophysiological

^{*)} Corresponding Author (Shahad Erma Nurhayati)
E-mail: shahaderma4@gmail.com

changes in the articular cartilage and subchondral bone (Pratama, 2019).

A pattern of muscle imbalance is seen clinically in OA. Quadriceps weakness has been identified as a cause of OA at the genu, a finding that links muscle imbalance and OA. In fact, there is a 64% lower risk of genu OA when the quadriceps are strong (Page et al., 2020).

Dynamic Neuromuscular Stabilization (DNS) is an exercise protocol that has recently attracted the attention of researchers in the field of chronic pain inhibition (Ghagholestani et al., 2022). The DNS approach aims to take advantage of the brain's plasticity and reactivate the patient's natural, latent movement patterns. Gentle pressure is applied to the body while the patient lies in an ideal position. This stimulates global motor responses, minimizes muscle imbalances, relieves painful muscle spasms, improves spinal stability, and promotes postural awareness. Repetition of the DNS exercises should help normalize spinal stability and make it automatic. DNS affects the entire musculoskeletal system and central nervous system, which can be affected by pain, injury, or damage, or repetitive strain (Kobesova et al., 2020).

2. Method

This type of research is quantitative research or pseudo-experimentation (quasi experimental), which aims to determine the effectiveness of dynamic neuromuscular stabilization exercise on pain reduction in the elderly with genu osteoarthritis at PKU Muhammadiyah Hospital Jatinom Klaten. This study used a quasi-experimental research design with pre-post test non-equivalent control group design, which means measurements are taken before treatment (pre-test) and after treatment (post-test). The effectiveness of the treatment was evaluated by comparing the values before and after the test.

The location of this study was PKU Muhammadiyah Jatinom Klaten Hospital, and it was conducted around February–March 2023. The targeted population was Genu osteoarthritis patients at PKU Muhammadiyah Jatinom Hospital Klaten, with the purposive sampling method as a method to obtain samples. Inclusion

criteria were female grade I and grade II genu osteoarthritis patients aged 60–70 years who had had physiotherapy < 3 years. Exclusion criteria were pathological abnormalities in the knee, the presence of deformities in the lower extremity, using a walker, and obese patients.

In this study, a three-part questionnaire was used to collect data. The first part is a statement about the object of the study, and the second part is informed consent as consent to being the subject of the study. The third part is a questionnaire about the characteristics of the respondents.

Primary data was obtained using a respondent characteristic questionnaire. A paired T-test was used if the data was normally distributed. The Wilcoxon test was used if the distribution was not normal. The test is said to have an effect if the p-value < 0.05.

3. Result and Discussion

This research was conducted at PKU Muhammadiyah Jatinom Hospital Klaten, on February 21 - March 23, 2023. This research aims to determine the effectiveness of dynamic neuromuscular stabilization exercise on reducing pain in the elderly with osteoarthritis genu in PKU Muhammadiyah Jatinom Klaten Hospital. The research subjects used were 50 subjects with genu osteoarthritis at PKU Muhammadiyah Jatinom Hospital Klaten, which were taken in accordance with the inclusion and exclusion criteria and then divided into 2 groups, namely 25 subjects as an experimental group given the treatment of dynamic neuromuscular stabilization exercise and 25 subjects as a control group who were given intervention from the hospital in the form of infrared.

Table 1. Characteristics of Respondents Based on Age

	Category	(n)	(%)
Age	60-64	32	64.0
	65-70	18	36.0
	Total	50	100

Based on Table 1, most subjects were in the age range of 60–64 years, with a percentage of 64% compared to the age of 65–70 years, with a percentage of 36%.

The reason is that when the age exceeds 60, a process called degenerative arthritis starts, and the functional capacity of the cartilage protein decreases due to the decrease in the functional capacity of the cartilage protein and excessive stress on the knee joint, resulting in osteophytes that cause pain in the knee area (Paerunan et al., 2019).

According to Dhaifullah et al., (2023), age is one of the major factors in the development of knee OA, the incidence of which increases progressively as the individual ages. Increasing age leads to thinning of articular cartilage along with decreased muscle strength, which maintains knee stability.

Table 2. Characteristics of Respondents Based on Pain

NRS Score	Mean	(n)	(%)
≤ 6	5.21	47	94.0
> 6		3	6.0
Total		50	100

Based on Table 2, the results of measuring NRS subjects before treatment show results ≤ 6 with a percentage of 94%, while results > 6 with a percentage of 6%.

According to Budiman & Widjaja (2020), it was found that the majority of osteoarthritis sufferers have moderate pain levels. This may be due to the high pain tolerance of the research subjects. According to Putra et al., (2022), pain is caused by the accumulation of metabolic residues of metabolic products called "P" substances that accumulate in the tissue. Meanwhile, according to Paerunan et al., (2019), pain can originate from stretching of the periosteum nerve fibers, hypertension intraosseous, joint capsule strain, intraarticular hypertension, ligament strain, subchondral bone microfracture, enthesopathy, bursitis and muscle spasm.

Table 3. Test results of the effect of the experimental group and control group

Wilcoxon	Category	Z	Sig.(p)
NRS Score	Pre-Post Experimental	-2.236	0.025
	Pre-Post Control	-1.732	0.083

Based on Table 3, the Wilcoxon effect test is used to see whether there is an effect of giving dynamic neuromuscular stabilization exercises with intervention from the hospital in the form of infrared. The results of the Wilcoxon test based on the value of NRS in the experimental group before and after being given treatment showed a significance value of $0.025 < 0.05$, so H_0 is rejected and H_a is accepted, so it can be concluded that there is an influence on the experimental group.

According to Kobesova et al., (2020), repetition of the DNS exercises is then prescribed so that spinal stability becomes a habit and becomes automatic. DNS involves the entire musculoskeletal system and central nervous system, which can be affected by pain, trauma, injury, or excessive repetitive stress. According to the DNS method, each joint position depends on stabilizing muscle function and local and remote muscle coordination to ensure a neutral or centered joint position in the kinetic chain (Venkatesan et al., 2022).

In some DNS literature and associated with osteoarthritis, the mechanisms of DNS in reducing genu osteoarthritis pain are neuromuscular changes in aging, and knee osteoarthritis can affect dynamic postural control. Judging from the principle of DNS in reactivating the patient's natural motor patterns that are not active, stimulating the central nervous system and stimulating the control centers of movement in the brain to activate how our body should move, DNS emphasizes the importance of the sensory system in the development of global motor control (m. quadriceps). DNS recognizes that the sensory system provides the basis for the development of motor control and that the two systems are closely linked. The DNS approach involves the use of exercises and specific techniques to activate ideal stabilization functions at the subcortical level, which may improve sensorimotor function and overall movement quality.

4. Conclusion and Suggestion

Research entitled "The Effectiveness of Dynamic Neuromuscular Stabilization Exercise on Pain Reduction in Elderly with Genu

Osteoarthritis at PKU Muhammadiyah Jatinom Klaten Hospital". Subjects who met the inclusion criteria were divided into 2 treatment groups, namely group I for dynamic neuromuscular stabilization exercise and group II for hospital intervention in the form of infra-reduction. The treatment was given for eight meetings. The results showed a significance value of $p = 0.025$ ($p < 0.05$). It was concluded that the effectiveness of dynamic neuromuscular stabilization exercise significantly reduced pain in the elderly with genu osteoarthritis. This study proves that giving dynamic neuromuscular stabilization exercise movements twice a week treatment for 4 weeks can reduce pain in the elderly with genu osteoarthritis.

Based on the research that has been done, there are several suggestions, namely that research subjects who experience knee pain can continue the DNS exercise at home. Physiotherapists at research institutions can use exercise in the form of DNS to reduce pain in osteoarthritis genu patients. And for further research, it is hoped that if you want to use the same DNS exercise, choose a dose that is different from this study to see the difference in results and have a new reference from a different dose.

6

5. Acknowledgments

The researcher would like to thank PKU Muhammadiyah Jatinom Hospital Klaten and Aisyiyah Surakarta University for supporting and providing a place for this research.

6. References

- Budiman, N. T., & Widjaja, I. F. (2020). Gambaran derajat nyeri pada pasien osteoarthritis genu di Rumah Sakit Royal Taruma Jakarta Barat. *Tarumanagara Medical Journal*, 2(2), 372-377. <https://doi.org/10.24912/tmj.v3i1.9744>
- Dhaifullah, M. R., Meregawa, P. F., Aryana, I. G. N. W., & Subawa, I. W. (2023). Hubungan usia, jenis kelamin, dan pekerjaan terhadap derajat keparahan penderita osteoarthritis lutut berdasarkan kellgren- lawrence di rsup sanglah denpasar. *Jurnal Medika Udayana*, 12(1), 107-112.
- Ghagholestani, B. N., Gandomi, F., Assar, S., & Spears, L. R. (2022). Effects of Dynamic Neuromuscular Stabilization and Aquatic Exercises on the Pain, Disability, Lumbopelvic Control, and Spinal Posture of Patients With Non-specific Low Back Pain. *Iranian Rehabilitation Journal*, 20(3), 333-344. Retrieved from <http://dx.doi.org/10.32598/irj.20.3.1319.2>
- Iqomi, I. T., & Abdurrachman, A. (2021). Gambaran Nyeri Pada Osteoarthritis Lutut Setelah Pemberian Intervensi Dengan Modalitas Ultrasound: Literature Review. *Prosiding Seminar Nasional Kesehatan*, 1, 1558-1564. <https://doi.org/10.48144/prosiding.v1i.895>
- Kobesova, A., Davidek, P., Morris, C. E., Andel, R., Maxwell, M., Oplatkova, L., ... Kolar, P. (2020). Functional Postural-Stabilization Tests According to Dynamic Neuromuscular Stabilization approach: Proposal of novel examination protocol. *Journal of Bodywork and Movement Therapies*, 24(3), 84-95. <https://doi.org/10.1016/j.jbmt.2020.01.009>
- Paerunan, C., Gessal, J., & Sengkey, L. (2019). Hubungan Antara Usia dan Derajat Kerusakan Sendi pada Pasien Osteoarthritis Lutut di Instalasi Rehabilitasi Medik RSUP Prof. Dr.R.D. Kandou Manado Periode Januari-Juni 2018. *Jurnal Medik Dan Rehabilitasi (JMR)*, 1(3), 1-4.
- Page, P., Frank, C. C., & Lardner, R. (2020). *Assessment and treatment of muscle imbalance: the Janda approach* (2020th ed.; D. Yulianti & R. Komalasari, eds.). Jakarta: Buku Kedokteran EGC.
- Pratama, A. D. (2019). Intervensi Fisioterapi pada Kasus Osteoarthritis Genu di RSPAD Gatot Soebroto. *Jurnal Sosial Humaniora Terapan*, 1(2), 21-34.
- Putra, I. G. Y., Muryani, N. M. S., & Daryaswanti, P. I. (2022). Pemberian Terapi Infrared Pada Lansia Dengan Osteoarthritis Di Pantii Sosial Tresna Wreda Wana Sraya Denpasar. *Jurnal Pengabdian Kepada Masyarakat Wahana Usada*, 4(1), 29-35. <https://doi.org/10.47859/wuj.v4i1.252>

Venkatesan, P., K, S., Kishen, T. J., Janardhan, S.,
& Kumar CR, S. (2022). Comparison of
yoga and dynamic neuromuscular
stabilization exercise in chronic low back
pain on magnetic resonance imaging of
lumbar multifidus- protocol for a

randomized controlled trial. *Contemporary
Clinical Trials Communications*,
28(November 2021), 100937.
<https://doi.org/10.1016/j.conctc.2022.100937>

EFFECTIVENESS OF DYNAMIC NEUROMUSCULAR STABILIZATION EXERCISE ON REDUCING PAIN IN THE ELDERLY WITH GENU OSTEOARTHRITIS AT PKU MUHAMMADIYAH HOSPITAL, JATINOM KLATEN (1).pdf

ORIGINALITY REPORT

20%

SIMILARITY INDEX

18%

INTERNET SOURCES

5%

PUBLICATIONS

4%

STUDENT PAPERS

PRIMARY SOURCES

1

elearning.medistra.ac.id

Internet Source

3%

2

www.spinalandsportsrehab.com

Internet Source

2%

3

ppm-poltekkeskemenkesbanjarmasin.com

Internet Source

2%

4

Prem Venkatesan, Soundararajan K, Thomas J. Kishen, Seema Janardhan, Sathish Kumar CR. "Comparison of yoga and dynamic neuromuscular stabilization exercise in chronic low back pain on magnetic resonance imaging of lumbar multifidus- protocol for a randomized controlled trial", Contemporary Clinical Trials Communications, 2022

Publication

1%

5

journal.poltekkes-mks.ac.id

Internet Source

1%

6	ejournal.poltekkes-smg.ac.id Internet Source	1 %
7	irj.uswr.ac.ir Internet Source	1 %
8	Submitted to Politeknik Kesehatan Kemenkes Semarang Student Paper	1 %
9	www.karger.com Internet Source	1 %
10	MAULANI MAULANI, Rian Maylina Sari, Teti Isfrueni. "Hubungan indeks massa tubuh dan riwayat peradangan sendi dengan kejadian osteoarthritis", Riset Informasi Kesehatan, 2019 Publication	1 %
11	www.elsevier.es Internet Source	1 %
12	eprints.poltekkesjogja.ac.id Internet Source	1 %
13	garuda.kemdikbud.go.id Internet Source	1 %
14	Submitted to Universitas Jenderal Soedirman Student Paper	1 %
15	jbpe.sums.ac.ir Internet Source	1 %

16

Internet Source

<1 %

17

media.neliti.com

Internet Source

<1 %

18

digilib.unisayogya.ac.id

Internet Source

<1 %

19

hdpublication.com

Internet Source

<1 %

20

smj.ssrc.ac.ir

Internet Source

<1 %

21

www.msjonline.org

Internet Source

<1 %

22

www.researchgate.net

Internet Source

<1 %

23

Salem A. Al khawaldeh.

"Prediction/discussion-based learning cycle versus conceptual change text: comparative effects on students' understanding of genetics", Research in Science & Technological Education, 2013

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On

EFFECTIVENESS OF DYNAMIC NEUROMUSCULAR STABILIZATION EXERCISE ON REDUCING PAIN IN THE ELDERLY WITH GENU OSTEOARTHRITIS AT PKU MUHAMMADIYAH HOSPITAL, JATINOM KLATEN (1).pdf

PAGE 1



Article Error You may need to remove this article.



Prep. You may be using the wrong preposition.



Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sentence to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.

PAGE 2



Article Error You may need to use an article before this word.



Verb This verb may be incorrect. Proofread the sentence to make sure you have used the correct form of the verb.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word.



P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.

PAGE 3



Article Error You may need to remove this article.



Missing ", " You have a spelling or typing mistake that makes the sentence appear to have a comma error.



P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.



Article Error You may need to remove this article.



Article Error You may need to use an article before this word. Consider using the article **the**.



Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sentence to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.

PAGE 4



Article Error You may need to use an article before this word.

PAGE 5
